



**GLOBEX**  
Mining Enterprises Inc.



# A Mineral Property Bank

*Exploration – Diversification – Mining – Royalties*

TSX: **GMX** – OTCQX: **GLBXF** – FSE: **G1MN**

October 2020

Except for historical information, this presentation may contain certain “forward-looking statements”. These statements may involve a number of known and unknown risks and uncertainties and other factors that may cause the actual results, level of activity and performance to be materially different from the expectations and projections of Globex.

No assurance can be given that any events anticipated by the forward-looking information will transpire or occur, or if any of them do so, what benefits Globex will derive from them.

A detailed discussion of the risk factors relating to Globex is available in Globex’s Annual Information Form, available at [www.sedar.com](http://www.sedar.com) and at the Corporation’s web site at [www.globexmining.com](http://www.globexmining.com) .


References to reserves or resources if NI 43-101 or JORC conformable will be indicated as such. If not so indicated, they are historical and have not been verified by Globex’s professional staff and should not be relied upon.

**F**OCUS

ON THE

**V**ALUE






- ▶ Diversified
- ▶ Low political risk – focused in Eastern Canada, Germany and the U.S.A.
- ▶ Revenue from Royalties, Options and Joint Ventures
- ▶ No debt



- Mineral Property Bank/Incubator
- Specializing in acquisitions
- Asset upgrading through exploration and intellectual input
- Revenue through Options, Sales and Royalties
- Income = less share dilution, increased exploration expenditure, less shareholder risk, avoiding debt
- Increased property portfolio value



# Total Number of Project & Royalty Acquisitions By Year





## GLOBEX – THE BASICS

### History of Minimal Share Dilution

- # Shares Issued (no rollbacks) 55,017,417
- Shares, Fully Diluted 57,532,417
- 11.09% owned by Management
- Professional board and management
  - 3 senior geologists, 1 mining accountant and 1 senior finance professional)
- Listings

**GMX** (Canada) **Toronto Stock Exchange**

**G1MN** (Germany) **Frankfurt Stock Exchange**  
(Frankfurt, Stuttgart, Berlin, Munich, Tradegate and Lang & Schwarz)

**GLBXF** (USA) **OTCQX International**

# Management and Directors

- Jack Stoch      President and CEO - + 40 years of experience  
P.Geo, Accredited Director
- Ian Atkinson      Director - + 40 years of experience  
P.Geo, M.Sc., A.K.C., D.I.C.  
Currently Director Kinross, until 2015 President Centerra Gold  
Former senior positions: Hecla, Battle Mountain Gold, Hemlo Gold Mines,  
Noranda Group
- Johannes  
H.C. Van Hoff      Director – International Financial Professional, Chairman NS Gold Corp.  
Former senior positions – Chairman & Senior Executive Officer Soros Funds  
Ltd., PVF Pension Funds, Paribas Capital Markets, Bankers Trust. Roles  
included: Manager, Senior Risk Manager, Deputy Head of Global Equity  
Derivations, Managing Director, M&A Arbitrage, Derivatives Arbitrage and  
Capital Investments.
- Dianne Stoch      Accredited Director  
Accountant (Corporate Planner, Senior Account Analyst,  
Revenue Planner – Noranda Mines for 18 years)
- Chris Bryan      Director – Retired Geologist and Mining Analyst  
Previously VP, Director and Portfolio Manager Bolton Tremblay  
Mining Analyst /Portfolio Manager Caisse Depot Placement Quebec






Numerous Owned Properties and Royalties

Assets include over 40 Former Mines

|     |   |
|-----|---|
| 189 | Projects  |
| 95  | Precious Metals <ul style="list-style-type: none"> <li>• Gold, Silver, Platinum, Palladium</li> </ul>   |
| 60  | Base Metals & Polymetallic <ul style="list-style-type: none"> <li>• Copper, Zinc, Lead, Nickel (Gold, Silver)</li> </ul>  |
| 34  | Specialty Metals & Minerals <ul style="list-style-type: none"> <li>• Talc, Iron, Lithium, Beryl, Magnesium Oxide, Manganese, Mica, Molybdenum, Rare Earths, Titanium, Silica, Bismuth, Pyrophyllite, Vanadium, Antimony, Feldspar, Cobalt, Scandium, Diamond</li> </ul> |
| 69  | Royalties   |
| 2   | Active options <ul style="list-style-type: none"> <li>• Cash payments</li> <li>• Share payments</li> <li>• Exploration &amp; Development expenditures</li> <li>• Gross Metal Royalty</li> </ul>   |
| 54  | Historical or NI 43-101 Resources   |

Note: Some properties have been combined due to proximity or infill staking

# Diversified Mineral Holdings



## Abitibi Geological Belt Quebec - Ontario

September 2020

- ★ Precious Metals
- ★ Base Metals
- ★ Specialty Metals & Industrial Minerals





All GLOBEX properties possess one or more key attributes:

- Historical or NI 43-101 Resource
- Drill intersections of Economic Interest
- Past production
- Mineralized showings or drill targets
  - geophysical, geochemical, geological
- Location on major ore localizing structures or in prolific mining camps
  - ex. Cadillac Break, Porcupine-Destor Break, Noranda, Val d'Or, Joutel, Malartic, Chibougamau and Timmins Mining Camps, etc.



- Acquiring diversified high potential assets



Francoeur/Arntfield/Lac Fortune Gold Mines



Very high grade GOLD values at surface in Waswanipi area



Multiple Cu-Ni zones over 6 km strike length



Manganese and Vanadium New Brunswick and Quebec



High grade Rare Earth property




Inferred 100,000 oz Gold Resource New Brunswick



Four lithium projects in Quebec



Scandium/Rare Earth Property in Quebec



## ■ PRODUCTION REVENUE

- **Mid Tennessee Zinc Royalty (Nyrstar)**  
Production mining and processing started May 2017  
\$0.90 to \$1.099 US/lb Zn – 1% GMR, +\$1.10 US/lb – 1.4% GMR

## ■ MEDIUM TERM POTENTIAL

- **Rocmec1 (Russian Kid) Gold Mine, Quebec**  
Underground Development started by Nippon Dragon at the Rocmec1 gold mine located west of Rouyn-Noranda. Resource of 570,000t Measured and Indicated grading 6.32 g/t Au (119,000 oz Au) and 1,512,400t Inferred grading 7.4 g/t Au (359,600 oz Au).
- **Authier Lithium Royalty (Sayona Mining)**  
Definitive Feasibility Study done. Initial Mine Life +14 years outlined, IRR 33%, +31,000 m drilled, resource 20.94 Mt. Projected approval date 2020?
- **Fayolle Gold Deposit, Quebec**  
Pit Constrained Indicated Resource: 405,600 t grading 5.42 g/t Au  
Underground Indicated Resource: 300,800 t grading 4.17 g/t Au  
Calculated using \$1,300 US/oz Au, 111,010 oz Au  
Potential production Fall, 2021, Globex 2% NSR
- **Bell Mountain Au, Ag**  
Eros Resources has been studying putting our Au, Ag deposit in Nevada into production. Globex holds an Advance Royalty and a 3% GMR. Open pit. Heap Leach. Construction to start in 2020.
- **Magusi Cu, Zn, Au, Ag Deposit**  
Production Scenario completed by third party  
Road, power, etc. in place. Ramp portal started.

## ■ Exploration

- By Globex Mining Enterprises Inc.
- By Renforth, Tres-Or, Quebec Precious Metals, Nyrstar, Eldorado Gold Lamaque, Rogue Resources, O3 Resources, Great Thunder, Manganese X Energy, Galway Metals, Opawica, EnerSpar Corp., Vanadium One Energy, Sayona Mining, Pershimex/Dundee Precious Metals, Osisko Mining, Falco Resources, Radisson Resources, Eros Resources, etc.




# Middle Tennessee Mines, USA



- ❖ 3 Mines
  - Gordonville
  - Elmwood
  - Cumberland
- + Stonewall Project
- ❖ Operating for over 50 years
- ❖ Start-up May 2017
- ❖ Mine life +++ 20 years
  - Anticipated average 50,000 t annual zinc concentrate
- ❖ At + \$1.10 US zinc price, Globex has a 1.4% Gross Metal Royalty
- ❖ London Warehouse Stocks are extremely low

| Reserves  | Commodity | Proven Ore Reserves 2017        | Probable Ore Reserves 2017       | Total Ore Reserves 2017                    |                                 |  |
|-----------|-----------|---------------------------------|----------------------------------|--|---------------------------------|--|
|           | (Mt)      | 0.28                            | 3.18                             | 3.46                                       |                                 |  |
|           | Zn (%)    | 3.30                            | 3.30                             | 3.30                                       |                                 |  |
| Resources | Commodity | Measured Mineral Resources 2017 | Indicated Mineral Resources 2017 | Measured /Indicated Mineral Resources 2017 | Inferred Mineral Resources 2017 |  |
|           | (Mt)      | 0.28                            | 3.86                             | 4.41                                       | 16.35                           |  |
|           | Zn (%)    | 3.70                            | 3.50                             | 3.50                                       | 3.40                            |  |


## Simple, Open-Cut Mining Operation



Sayona Mining Limited Investor Presentation (see disclaimer)

- **Measured, Indicated and Inferred resources**  
20,940,000 t @ 1.01% Li<sub>2</sub>O
- **Simple mining method**  
Truck and shovel operation
- **Competitive mining costs**  
CAD \$460 /tonne  
US \$675 /tonne Sale Price
- **Low development capex** of \$89.9 M
- **Life of mine** – 14 years  
115,000 t/yr 6% Li<sub>2</sub>O concentrate
- **Large, thick tabular body**  
LOM waste to ore ratio 6.95:1
- **Anticipated approval 2020**

# Chibougamau Area Royalty Property, Quebec



- 5 former copper-gold mines
- 3 extensions of copper-gold mines
- 2 unmined deposits (1 Cu/Zn and 1 Au/Zn/Ag)
- Mont Sorcier + 634.1 million tonnes, Iron, Titanium, Vanadium deposits  
NPV 1.7 billion, Concentrate 65% Fe + 0.6% V<sub>2</sub>O<sub>5</sub>  
Globex Royalty 1% GMR on Iron  
Chibougamau Independent Royalty 2% GMR on Iron and Vanadium
- Numerous drill-ready targets
- Globex Royalty 3% GMR

## Historical Production

**47.6 Million Tons  
Copper & Gold**






## Significant Gold Intersections Within Previous Drilling Surface diamond drill holes Berrigan Property 32G16

| Hole # | From    | To      | Interval | % Zn   | % Cu  | Au g/t    | Ag g/t     |
|--------|---------|---------|----------|--------|-------|-----------|------------|
| A-005  | 131.4 m | 140.2 m | 8.8 m    | 5.70%  |       | 6.96 g/t  |            |
| A-010  | 97.3 m  | 105.2 m | 7.9 m    | 4.43%  |       | 4.94 g/t  | 25.36 g/t  |
| A-016  | 18.9 m  | 21.2 m  | 2.3 m    | 1.51%  |       | 6.43 g/t  |            |
|        | 76.2 m  | 77.7 m  | 1.5 m    | 3.45%  |       | 8.91 g/t  |            |
| A-061  | 91.6 m  | 100.6 m | 9.0 m    | 3.76%  | 0.16% | 3.00 g/t  | 17.24 g/t  |
|        | 107.1 m | 115.7 m | 8.6 m    | 6.15%  | 0.17% | 8.14 g/t  | 39.70 g/t  |
| A-062  | 59.3 m  | 61.1 m  | 1.8 m    | 6.92%  |       | 4.62 g/t  | 17.14 g/t  |
| A-063  | 113.7 m | 114.3 m | 0.6 m    | 17.55% |       | 49.23 g/t | 404.64 g/t |
|        | 129.4 m | 132.8 m | 3.4 m    | 8.86%  |       | 8.88 g/t  | 68.16 g/t  |
|        | 138.9 m | 141.5 m | 2.6 m    | 4.69%  |       | 4.04 g/t  | 11.14 g/t  |
| A-065  | 121.6 m | 125.7 m | 4.6 m    | 7.67%  |       | 6.08 g/t  | 21.56 g/t  |
|        | 139.8 m | 144.5 m | 4.7 m    | 2.80%  |       | 3.55 g/t  | 7.64 g/t   |
|        | 164.7 m | 167.2 m | 2.5 m    | 3.13%  |       | 6.95 g/t  | 15.44 g/t  |
| A-066  | 100.6 m | 101.8 m | 1.2 m    | 22.90% |       | 36.65 g/t | 39.73 g/t  |
|        | 159.8 m | 168.8 m | 9.0 m    | 6.26%  |       | 5.19 g/t  | 19.60 g/t  |
| A-070  | 157.1 m | 158.2 m | 1.1 m    | 16.75% |       | 10.96 g/t |            |
| A-072  | 188.7 m | 190.9 m | 2.2 m    | 5.08%  |       | 3.13 g/t  |            |
| A-073  | 144.8 m | 145.1 m | 0.3 m    | 27.90% |       | 32.88 g/t |            |
| A-076  | 126.3 m | 129.8 m | 3.5 m    | 11.07% |       | 3.02 g/t  |            |
| A-083  | 94.3 m  | 96.3 m  | 2.0 m    | 4.45%  |       | 3.79 g/t  | 10.34 g/t  |
|        | 119.4 m | 132.6 m | 13.2 m   | 4.99%  |       | 2.88 g/t  | 15.91 g/t  |
| A-084  | 130.3 m | 142.8 m | 12.5 m   | 4.58%  |       | 5.10 g/t  | 17.18 g/t  |
| A-086  | 50.9 m  | 52.1 m  | 1.2 m    | 7.00%  |       | 15.07 g/t | 59.60 g/t  |
| A-103  | 56.4 m  | 59.4 m  | 3.0 m    | 5.84%  |       | 11.61 g/t |            |


| Hole #   | From    | To      | Interval | % Zn   | % Cu  | Au g/t    | Ag g/t    |
|----------|---------|---------|----------|--------|-------|-----------|-----------|
| U-02     | 44.9 m  | 45.6 m  | 0.7 m    | 2.95%  |       | 17.81 g/t | 89.74 g/t |
|          | 90.4 m  | 91.4 m  | 1.0 m    | 13.80% |       | 26.72 g/t | 58.91 g/t |
| U-03     | 95.8 m  | 108.7 m | 12.9 m   | 5.75%  |       | 3.11 g/t  | 15.17 g/t |
|          | 8.2 m   | 16.6 m  | 8.4 m    | 13.09% |       | 6.98 g/t  | 20.71 g/t |
| U-04     | 49.4 m  | 64.0 m  | 14.4 m   | 8.69%  |       | 3.41 g/t  | 17.49 g/t |
|          | 17.4 m  | 19.7 m  | 2.3 m    | 12.77% |       | 4.60 g/t  | 14.65 g/t |
| U-09     | 85.9 m  | 86.6 m  | 0.7 m    | 7.05%  |       | 37.68 g/t | 78.09 g/t |
|          | 71.8 m  | 75.8 m  | 4.0 m    | 2.32%  |       | 4.32 g/t  | 12.43 g/t |
| SU-23    | 2.8 m   | 10.6 m  | 7.8 m    | 3.98%  |       | 3.33 g/t  | 20.54 g/t |
| SU-52    | 0.0 m   | 5.0 m   | 5.0 m    | 3.88%  |       | 3.01 g/t  | 19.82 g/t |
| SU-59    | 0.0 m   | 4.1 m   | 4.1 m    | 5.40%  |       | 3.51 g/t  | 31.04 g/t |
| TA-87-27 | 31.1 m  | 32.3 m  | 1.2 m    | 5.60%  |       | 17.98 g/t | 37.33 g/t |
| TA-87-40 | 81.1 m  | 83.5 m  | 2.4 m    | 10.05% |       | 2.96 g/t  | 50.05 g/t |
|          | 91.4 m  | 94.2 m  | 2.8 m    | 10.82% |       | 3.23 g/t  | 19.19 g/t |
| TA-90-50 | 65.5 m  | 70.1 m  | 4.6 m    | 4.12%  |       | 6.78 g/t  | 10.12 g/t |
|          | 84.6 m  | 87.5 m  | 2.9 m    | 3.90%  |       | 3.20 g/t  |           |
| TA-90-51 | 95.5 m  | 106.7 m | 11.2 m   | 10.39% | 0.10% | 2.54 g/t  | 19.26 g/t |
|          | 114.0 m | 129.5 m | 15.5 m   | 6.57%  | 0.10% | 8.05 g/t  | 23.58 g/t |
| TA-90-52 | 197.4 m | 200.0 m | 2.6 m    | 5.39%  | 0.21% | 3.52 g/t  | 20.10 g/t |
| TA-90-56 | 201.2 m | 203.3 m | 2.1 m    | 5.21%  |       | 5.70 g/t  | 11.60 g/t |
| TLT-09   | 81.0 m  | 84.4 m  | 3.4 m    | 5.75%  |       | 4.06 g/t  |           |
|          | 164.4 m | 166.9 m | 2.5 m    | 5.23%  |       | 6.18 g/t  |           |
|          | 215.7 m | 219.6 m | 3.9 m    | 6.74%  |       | 3.95 g/t  |           |
|          | 247.4 m | 249.7 m | 2.3 m    |        |       | 4.28 g/t  |           |

# C-3 Copper/Gold Zone (Bateman Bay)

McKenzie & Roy Townships, Quebec (NTS 32G/16)




- Chibougamau Mining District
- Intercepted from surface to 450m (±1,500 ft) vertical
- High grade copper and gold (some silver and cobalt)
- Open to depth and along strike (both directions)
- Easily accessible by road and near the Town of Chibougamau






# Magusi-Fabie Bay Property, Quebec





# Coarse Visible Gold - Lac Fortune Gold Mine



# Francoeur Mine Infrastructure



# Montalembert Project, Quebec

Photo # 1






Photo # 2





# Parbec Royalty Property


Renforth Resources Inc.



- Located approximately 5 km along strike to the Northwest of the large Canadian Malartic Gold Mine
- Underground access via a 580 m ramp
- April 2020 Mineral Resource:
  - 104,500 oz Au Indicated Resource
  - 177,300 oz Au Inferred Resource
- Globex retains 3% GMR




# Cadillac-Malartic Mining Camp, Quebec



\* Historic resources have not been verified by Globex's geologists and should not be relied upon.

# Cadillac Gold Camp, Quebec


(Wood-Pandora Joint Venture)




\*Ref. Agnico Eagle Mines




# Duquesne West, Quebec (50%)






- Multiple gold zones adjoining and related to the Porcupine Destor Break
- Many gold zones open to depth



Source: RJK Exploration Ltd. 2016. Historical Non NI 43-101 Resources






## Scandium Property

Used in aluminium alloys in the automotive, aerospace, fuel-cell industries and sports equipment.

Facilitates welding of aluminium, eliminating rivets.

# Santa Anna Property, Quebec





- Surface exposed gold in high silica zones
- Potential open pit?
- Potential fluxing ore?
- Accessible by paved and gravel, all season roads
- Minimal strip ratio
- Coarse free gold





# Timmins Talc-Magnesite Project, Ontario




| Resource Category | Tonnage (t) | Magnesite (%) | Talc (%) |
|-------------------|-------------|---------------|----------|
| Indicated         | 12,728,000  | 52.1          | 35.4     |
| Inferred          | 18,778,000  | 53.1          | 31.7     |

NI 43-101 resources

- Open-pittable deposit
- Simple separation metallurgy
- No environmental negatives (Arsenic, asbestos, etc.)
- High quality (brightness) talc targeting highest value market niches – Plastics, cosmetics, etc.
- Near Timmins, Ontario (Skilled labour, transport, energy, etc)
- Saleable secondary product – MgO
- Targeting Wallboard Market among others
- Long mine life (+100 years)
- Mining Lease in place


# Feldspar Property, Johan Beetz, Quebec



- Globex's Holdings
  - ✓ 2.5 % Gross Metal Royalty
- Potassic Feldspar
  - ✓ Large historical resource
  - ✓ Projected NA demand by 2020 is 250,000 tonnes
  - ✓ Imported from Europe
- Principal Uses
  - ✓ Ceramics
  - ✓ Tempered Glass

EnerSpar Corp - TSXV :ENER FSE : 5E0

# Bräunsdorf Silver Project, Germany



Approximately US \$500,000,000 of historic SILVER production  
750 Years of Intermittent Production  
No Modern Exploration  
Under Option to Excellon Resources Inc.

# Unique Investment Opportunity



Principal Exploration Office

## Focus On The Value

- **FEW SHARES** outstanding and history of minimal stock dilution
- **EXPERIENCED**, fiscally prudent management
- **INCOME** from Royalties and Options
- **WE OWN** our property interests and exploration assets (offices, core facility, vehicles, core library, etc.)
- **NO DEBT**, funds available for exploration
- **LOW** Political Risk
  - Based in North America – QC, ON, NS, NB, Nev., Tenn., Wash. and Saxony Germany
- **SPECIALIZED**, Experienced Board of Directors
  - 3 senior geologists
  - 1 mining accountant
  - 1 senior finance professional





# **GLOBEX**

**Mining Enterprises Inc.**



**Thank You**

**Danke**

**Merci**

**Meegwetch**

[www.globexmining.com](http://www.globexmining.com)