

# of channel	Sample length (m)	RS-125-cps	U (ppm)	Th (ppm)
LT3	1.0	1,650	650	207
LT4	1.0	630	147	64.9
SS-1	1.0	670	183.5	33
	1.0	750	242	104.5
	1.0	650	103.5	68.2
SS-2	1.0	360	108.5	55.2
	1.0	1100	213	52
	1.0	650	261	26.2
	1.0	1000	387	70.7
	1.0	515	139	21.6
	1.0	560	173.5	53.3
	1.0	480	276	67.1
SS-3	1.0	900	298	180
SS-5	1.0	770	389	80.9
	1.0	2500	740	262
	1.0	550	231	72.1
SS-6	1.0	1400	470	57
SS-7	1.0	700	200	69.1
	1.0	1050	440	119.5
SS-8	1.0	1200	434	920
SS-9	1.0	1600	630	560
SS-10	1.0	650	359	30.2
	1.0	1200	820	65.5
	1.0	700	255	45.6
	1.0	700	328	39.9
SS-11	1.0	1250	570	49
		750	233	33.6

# of channel	Sample length (m)	RS-125-cps	U (ppm)	Th (ppm)
SS-12	1.0	400	120	59.7
	1.0	400	108.5	60.7
	1.0	450	105	64.7
	1.0	600	109	216
	1.0	800	362	59.4
	1.0	450	241	64.9
	1.0	400	106	53.4
	1.0	300	418	123
SS-13	1.0	1150	429	221
MB-1	1.0	1200	299	102.5
	1.0	900	137	44.7
	1.0	850	167	92
	1.0	950	134	248
MB-3	5.0		304	136.2
including	1.0	2,500	1,130	470
MB-4	1.0	1000	421	111.5
	1.0	550	248	41
	1.0	350	118.5	16.7
	1.0	400	103	28.7
	1.0	400	116	26.4
	1.0	300	108	11.4
MB-5	6.0		147	44.8
including	1.0	550	238	65.9
MB-8	1.0	11,000	2,530	620
MB-9	11.0		241	49.3
including	1.0	1,800	1,070	149
MB-10	4.0		1,494	363.2
including	1.0	6,000	5,080	411

# of channel	Sample length (m)	RS-125-cps	U (ppm)	Th (ppm)
GR-3	1.0	2,600	1,600	273
	1.0	3,600	2,510	282
	1.0	1,800	1,140	308
	1.0	2,800	1,280	205
	1.0	2,800	2,480	227
	1.0	3,000	2,790	323
	1.0	3,800	3,410	355
	1.0	6,007	<u>6,880</u>	680
	1.0	2,004	2,130	264
	9.0		2,691	324
AH-01	16.0		364.3	
including	4.0		1,065	
CH-03	4.0		466	
including	1.0	2,700	1,160	355
CH-04	12.0		280	
including	1.0	1,700	760	406
CH-05	1.0	4,350	2,010	1,100
CH-07	0.5	3300	1,630	780